



Prop Light

Prop Light by Bertjan Pot represents the perfect lighting solution for literally any kind of interior. Whether you prop it up against a wall, hang it from a ceiling or place it on a floor, its bubbly form and pure spirit brighten up any kind of environment with a fresh, timeless elegance. Enjoy ethereal spheres of light in your home, at the office or in a public space.

DesignerBertjan PotYear of design2013

Material HIPS housing; PMMA lightguide; Glass bulbs

moooi

detailing



Prop Light is equipped with a comfortably warm LED light source, spreading it's light by a specially developed optics. All versions are dimmable.

colours



White body RAL9016

packaging

Drop Light Single	Prop Light Double	Bron Light Double Vertical	Prop Light Double Herizontal
Prop Light Single H 40 cm 15,7"	H 40 cm 15,7"	Prop Light Double Vertical H 40 cm 15,7"	Prop Light Double Horizontal H 40 cm 15,7"
W 40 cm 15,7"	W 40 cm 15,7"	W 40 cm 15,7"	W 40 cm 15,7"
D 105 cm 41,3"	D 105 cm 41,3"	D 105 cm 41,3"	D 105 cm 41,3"
Colli I/I		Colli I/I	Colli I/I
Product weight:	Colli I/I	Product weight:	Product weight:
5 KG 11 lb	Product weight:	6 KG 13,2 lb	6 KG 13,2 lb
With packaging:	6 KG 13,2 lb	With packaging:	With packaging:
10 KG 22 lb	With packaging:	10 KG 22 lb	10 KG 22 lb
	10 KG 22 lb		

cleaning instructions

Can be effectively cleaned using a regular household dust cloth or feather duster. Lightly dust inbetween each component when the lamps are not in use. Moooi recommends always reading the label of any cleaning products you wish to use on or near any item from the Moooi collection. For further information on how to clean this product please contact your nearest Moooi agent or dealer which can be located through our website.

m o o o i

technical



input voltage:

110-240V ~50Hz AC

North America: Not yet cULus listed though suitable for the North American market. All models will be available early

November.

amount of LED's:

Prop Light Single: 18
Prop Light Double: 36

colour temperature (degrees Kelvin, K) / colour rendering index:

Approx. 2000K / CRI_Ra min. 80

luminous flux (Lumen, Im):

Prop Light Single: 800lm Prop Light Double: 1600lm

power consumption:

Prop Light Single: MAX 10.3W Prop Light Double: MAX 21W



matching white pebble

cable length & colour:

4M | 13ft, transparent

dimmable:

yes, mains dimmable



recommended dimmers

120V:

Lutron

Skylark - S-600P/CT-603P

Nova - NF-10

Nova-T - NFT-10

Diva - DVSCCL-153P

Diva - DVCL-153P/DVWCL-153P

Diva - CTCL-153P

Diva - TTCL-100H

Diva - DV-600P

Maestro - MA-600

Leviton

IllumaTech - IP106/IP110/RP106

Sureslide - 6621/6631

Vizia - VP106

230 / 240V:

Lutron

Lyneo - LLSI-501/LLSI-502

Rania

RNDI-252

ELKO

Gli - ELKO 400 Gli

IMPORTANT! The use of a non-recommended dimmer can lead to unexpected dimming behavior and even non-repairable adamage of the fixture and/or driver.

m o o i

dimensions

