



Fred Tables

FRED (Jean-Marie Massaud) 2007

The Fred table with its MDF top is ideal for a wide variety of situations and is suitable for both contract and home environments. Featuring dynamic and contemporary lines, the Fred collection is available in four heights – 36.4, 50, 74 and 105 cm.



MaterialsAluminium frame
baseTop
embossed lacquered Mdf


Table with four-star base in shiny or white painted aluminium and top in white, embossed MDF, available in different shapes and sizes (square, round). Height 36.4 cm.



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM	PAINTED
 CM. 49 x 49	0950	STRUCTURE ONLY		
	0960	Mdf MD CM. 60 x 60 <input type="checkbox"/>		
	0961	Mdf MD CM. 70 x 70 <input type="checkbox"/>		
	0963	Mdf MD CM. 80 x 80 <input type="checkbox"/>		
	0976	Mdf MD Ø CM. 65 <input type="radio"/>		
	0962	Mdf MD Ø CM. 80 <input type="radio"/>		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art. 0950 1 pcs. = 1 box - kg 4.5 / m ³ 0.097 Art. 0960 1 pcs. = 2 boxes - kg 12.9 / m ³ 0.136 <input checked="" type="checkbox"/> KD Art. 0961 1 pcs. = 2 boxes - kg 14.1 / m ³ 0.162 <input checked="" type="checkbox"/> KD Art. 0962 1 pcs. = 2 boxes - kg 15 / m ³ 0.162 <input checked="" type="checkbox"/> KD Art. 0963 1 pcs. = 2 boxes - kg 17.5 / m ³ 0.175 <input checked="" type="checkbox"/> KD Art. 0976 1 pcs. = 2 boxes - kg 12.1 / m ³ 0.131 <input checked="" type="checkbox"/> KD		


Aluminium frame base



Top
embossed lacquered Mdf




Table with four-star base in shiny aluminium or painted and top in white, embossed MDF, available in different shapes and sizes (square, round). Height 50 cm.



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM	PAINTED
<p>CM. 49 x 49</p>	0953	STRUCTURE ONLY		
	0972	Mdf MD CM. 60 x 60 <input type="checkbox"/>		
	0973	Mdf MD CM. 70 x 70 <input type="checkbox"/>		
	0977	Mdf MD Ø CM. 65 <input type="radio"/>		
	0975	Mdf MD Ø CM. 80 <input type="radio"/>		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
<p>Art. 0953 1 pcs. = 1 box - kg 5.5 / m³ 0.2</p> <p>Art. 0972 1 pcs. = 2 boxes - kg 11.8 / m³ 0.239 <input checked="" type="checkbox"/></p> <p>Art. 0973 1 pcs. = 2 boxes - kg 15.1 / m³ 0.325 <input checked="" type="checkbox"/></p> <p>Art. 0977 1 pcs. = 2 boxes - kg 13.1 / m³ 0.280 <input checked="" type="checkbox"/></p> <p>Art. 0975 1 pcs. = 2 boxes - kg 15 / m³ 0.265 <input checked="" type="checkbox"/></p>		

Aluminium frame base



V12


LU1

Top
embossed lacquered Mdf



M02


Table with four-star base in shiny aluminium or painted and top in white, embossed MDF, available in different shapes and sizes (square, round). Height 74 cm.



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM	PAINTED
 CM. 49 x 49	0951	STRUCTURE ONLY		
	0964	Mdf MD CM. 60 x 60 <input type="checkbox"/>		
	0965	Mdf MD CM. 70 x 70 <input type="checkbox"/>		
	0967	Mdf MD CM. 80 x 80 <input type="checkbox"/>		
	0978	Mdf MD Ø CM. 65 <input type="radio"/>		
	0966	Mdf MD Ø CM. 80 <input type="radio"/>		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art. 0951 1 pcs. = 1 box - kg 5.5 / m ³ 0.260 Art. 0964 1 pcs. = 2 boxes - kg 13.1 / m ³ 0.299 <input checked="" type="radio"/> KD Art. 0965 1 pcs. = 2 boxes - kg 15.1 / m ³ 0.325 <input checked="" type="radio"/> KD Art. 0967 1 pcs. = 2 boxes - kg 16 / m ³ 0.325 <input checked="" type="radio"/> KD Art. 0978 1 pcs. = 2 boxes - kg 18.5 / m ³ 0.325 <input checked="" type="radio"/> KD Art. 0966 1 pcs. = 2 boxes - kg 16 / m ³ 0.325 <input checked="" type="radio"/> KD		

Aluminium frame base



V12


LU1

Top
embossed lacquered Mdf



M02


Table with four-star base in shiny aluminium or painted and top in white, embossed MDF, available in different shapes and sizes (square, round). Height 105 cm.



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM		PAINTED	
<p>CM. 49 x 49</p>	0952	STRUCTURE ONLY				
	0969	Mdf MD CM. 60 x 60 <input type="checkbox"/>				
	0970	Mdf MD CM. 70 x 70 <input type="checkbox"/>				
	0979	Mdf MD Ø CM. 65 <input type="radio"/>				
	0971	Mdf MD Ø CM. 80 <input type="radio"/>				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
<p>Art. 0952 1 pcs. = 1 box - kg 7 / m³ 0.278</p> <p>Art. 0969 1 pcs. = 2 boxes - kg 14.6 / m³ 0.317 <input checked="" type="checkbox"/></p> <p>Art. 0970 1 pcs. = 2 boxes - kg 16.6 / m³ 0.343 <input checked="" type="checkbox"/></p> <p>Art. 0971 1 pcs. = 2 boxes - kg 17.5 / m³ 0.343 <input checked="" type="checkbox"/></p> <p>Art. 0979 1 pcs. = 2 boxes - kg 14.6 / m³ 0.317 <input checked="" type="checkbox"/></p>		

Aluminium frame base



Top embossed lacquered Mdf



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

arper

Arper s.p.a.

via Lombardia 16
31050 Monastier (Treviso) Italia
T +39 0422 7918
F +39 0422 791800
info@arperitalia.it
www.arper.it

Commerciale Italia

T +39 0422 791905-791917
F +39 0422 791900
commercialeitalia@arperitalia.it

Export Office

T +39 0422 791902-4-6-7-8-9
F +39 0422 791900
commercialeestero@arperitalia.it

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it