m o o i



Random Light LED Floorlamp

For the first time the Random Light stops drifting and comes down to earth...literally! Random Light LED floor lamp is the first floor lamp available from the Random light family.

In this version of the product a LED lamp becomes part of the Random Light, creating a long-lasting energy saving light output. Combining a playful design with an environmentally friendly technology. A killer combination. The Random Light is the ideal 'light' solution to furnish any space.

DesignerBertjan PotYear of design2010

Material Epoxy and fibre glass, matt chromed steel pendant, white or black floorlamp base

Additional For indoor use only



Detailing



Colour



Black shade



White shade



Black base



White base

Technical



Small

Power consumption 10,3W (30lm/W)
Colour temperature (degrees Kelvin, K) 2600K
(warm white)

Luminous flux (Lumen, lm) 300lm

Medium

Power consumption 11,3W (35lm/W)
Colour temperature (degrees Kelvin, K) 2600K
(warm white)

Luminous flux (Lumen, lm) 390lm

General

Input voltage of $240V \sim 50Hz/60 Hz AC$

Power supply included in Base

The average service life of Random light LED is 50,000 hours, while maintaining +70% of the light output.



Packaging

Small - base

H 195 cm | 76.8" W 40 cm | 15.7" D 40 cm | 15.7"

Colli 1/2

Product weight: 4,6 KG | 10,1 lb With packaging: 7 KG | 15,4 lb

Small - shade

H 53 cm | 20.9" W 51 cm | 20.1" D 51 cm | 20.1"

Colli 2/2 Product weight: I,2 KG | 2,6 lb With packaging: 2,7 KG | 6 lb

Medium - base

H 214 cm | 84.3" W 40 cm | 15.7" D 40 cm | 15.7"

Colli 1/2

Product weight: 4,8 KG | 10,6 lb With packaging: 7,2 KG | 15,9 lb

Medium - shade

H 88 cm | 34.6" W 87 cm | 34.3" D 87 cm | 34.3"

Colli 2/2 Product weight: I,8 KG | 4 lb With packaging: 6,2 KG | 13,7 lb

Cleaning Instructions

Due to the intricacy of the Random light it is advised to regularly use a feather duster to remove dust particles.

Main dimensions

